CLAIMS

We claim:

- A method of differentiating primate embryonic stem cells into 1. neural precursor cells, comprising the steps of:
 - obtaining a primate embryonic stem cell culture, (a)
 - propagating the stem cells, and (b)
 - culturing the embryoid bodies in a medium containing an effective amount of fibroblast growth factor 2, wherein neural precursors are (c) generated.
 - The method of claim additionally comprising the step of forming embryoid bodies from the propagated stem cells of step (b) before the culturing of step (c).
 - The method of claim 1 further comprising the step of isolating the neural precursors by differential enzymatic treatment and adhesion. 3.
 - The method of claim 1 wherein the amount of fibroblast growth factor 2 in the medium of step (d) is between 10 and 20 ng/ml.
 - The method of claim 1 wherein the embryonic stem cell culture 5. is a human embryonic stem cell culture.

1997038E 100301

5096520_1.DOC

- The method of claim 1 wherein the culture of step (c) is at least
 neural precursor cells.
 - 7. The method of claim 6 wherein the percentage of neural precursor cells is at least 84%.
 - 8. The method of claim 3 wherein the isolation procedure results in an enriched population of neural precursor cells, wherein at least 90% of the cells are neural precursor cells.
 - 9. The method of claim 8 wherein at least 95% of the cells are neural precursor cells.
 - 10. The method of claim 1 wherein the embryonic stem cell culture is selected from the group consisting of human ES cell lines H1, H9 and H9.2.
 - 11. The method of claim 1 wherein the embryonic stem cells are propagated on a feeder layer of irradiated mouse embryonic fibroblasts.
 - 12. The method of claim 1 wherein step (c) comprises pelleting the stem cells, resuspending in cell medium without fibroblast growth factor 2, and culturing, wherein floating embryoid bodies develop.



- 13. The method of claim 1 wherein step (d) comprises culturing the embryoid bodies in a medium comprising insulin, transferrin, progesterone, putrescine, sodium selenite and heparin.
- 14. An isolated cell population comprising at least 72% neural precursor cells.
- 15. The cell population of claim 14, wherein the population comprises at least 84% neural precursor cells.
- 16. The cell population of claim 15 comprising at least 90% neural precursor cells.
- 17. The cell population of claim 16 comprising at least 95% neural precursor cells.

